

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	("4893316" "5623521" "5757858").PN. OR ("6002726").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/19 14:21
L2	549	(sap or (secondary adj audio adj program\$1)) and (FM or (frequency adj modulation))	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/19 14:22
L3	52	2 and (band adj pass)	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/19 14:23
L4	38	3 and @ad<"20030730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 14:22
L5	62	((secondary adj audio adj program\$1)) and (FM or (frequency adj modulation))	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/19 14:22
L6	50	5 and @ad<"20030730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 14:22
L7	5	6 and (band adj pass)	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/19 14:23
S1	109568	(david.in. or wu.in.) and approximat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:41
S2	85787	S1 and @ad<"20030730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 14:22
S3	2183	S2 and quadrature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:39

EAST Search History

S4	1880	S3 and phase\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:40
S5	32	S4 and "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:40
S6	0	(david.in. and wu.in.) and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:41
S7	10	(david.in. and wu.in.) and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:41
S8	20081	"708"/\$.ccls. and @ad<"20030730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:43
S9	1343	S8 and (approximat\$3.ti. or approximat\$3.clm. or approximat\$3. ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:43
S10	592	S9 and (invers\$3 or reciprocal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:48
S11	66	S10 and quadrature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:43

EAST Search History

S12	58	S11 and phase\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:51
S13	202	S8 and approximat\$3 and demodulat\$3 and error\$1 and quadrature and phase\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:52
S14	198	S13 and (frequency or FM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 13:00
S15	112	S14 and estimat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:54
S16	66	S15 and (invers\$3 or reciprocal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 11:03
S17	402	((FM or (frequency adj modulation)) adj demodulation) and @ad<"20030730" and (approximat\$3 or estimat\$3) and error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 11:04
S18	3	S17 and "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 11:11
S19	97	708/502,654.ccls. and @ad<"20030730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 11:11

EAST Search History

S20	1	S19 and quadrature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 11:12
S21	3	("4893316" "5623521" "5757858").PN. OR ("6002726"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/06 11:13
S22	7720	S8 and (frequency or FM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 13:00
S23	899	S22 and quadrature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 13:00
S24	817	S23 and phase\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 13:00
S25	397	S24 and 708/200,290,300-323,490, 502,650,654-656.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 13:01
S26	300	S25 and (approximat\$3 or estimat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 13:02
S27	248	S26 and \$2modulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 13:02
S28	207	S27 and error\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 13:03

EAST Search History

S29	120	S28 and gain\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 13:04
S30	2	S29 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 13:05
S31	15	S29 and Fm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 13:05
S32	3	"7006806".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:17
S33	13	david.in. and chaohua.in. and wu.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:19
S34	45	708/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:25
S35	11215	(FM or (frequency adj modulat\$3)) and quadrature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:45
S36	183	((FM or (frequency adj modulat\$3)) and quadrature) and "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:26

EAST Search History

S37	166	S36 and @ad<"20030730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:46
S38	116	S37 and error\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:46
S39	3	("4893316" "5623521" "5757858").PN. OR ("6002726"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/19 10:31
S40	3188	((demodulat\$ or de-modulat\$3 or (de adj modulats\$)).ti. or (demodulat\$ or de-modulat\$3 or (de adj modulats\$)).clm. or (demodulat\$ or de-modulat\$3 or (de adj modulats\$)).ab.) and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:46
S41	2829	S40 and @ad<"20030730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:46
S42	1796	S41 and error\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:47
S43	1133	approximat\$3 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:47
S44	560	S43 and (invers\$3 or reciprocal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:48
S45	177	(FM.ti. or FM.clm. or FM.ab.) and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 10:48

EAST Search History

S46	7	("4787056" "5629885" "6298368" "6301598" "RE35365").PN. OR ("6463452").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/19 10:51
-----	---	--	------------------------------	----	----	------------------



Web

Results 11 - 20 of about 50,000 for **fm demodulation approximating division**. (0.13 seconds)[2000 Summary of Engineering Research - Electrical and Computer ...](#)The proposed digital **FM demodulator** uses a sinc-cube decimation filter with ...**approximation** for frequency discrimination, and a digital **division** for AM ...www.engr.uiuc.edu/communications/engineering_research/2000/EE.summary.4.html- 45k - [Cached](#) - [Similar pages](#)[1999 Summary of Engineering Research - Electrical and Computer](#)For TV audio, a completely digital **FM demodulator** is being developed. ... three-point**approximation** for frequency discrimination, and a digital **division** for ...www.engr.uiuc.edu/communications/engineering_research/1999/pg000096.htm - 39k- [Cached](#) - [Similar pages](#)[\[PDF\] EA467 Comm Lab II: Transmitters and Receivers Fall 2006](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Part F. **FM Demodulation**. FSK Data Receiver on a TDMA Channel (Rickover 122):... **approximate** data rate (bits/sec) from the observed bit width. ...eng.usna.navy.mil/~bruninga/labsats/EA467_rcvrs06L.pdf - [Similar pages](#)[\[PDF\] Efficient Approximations for the Arctangent Function](#)

File Format: PDF/Adobe Acrobat

required **division** operations are relatively complex to implement; ... This linear**approximation** has been used. in [6] for **FM demodulation** due to its ...[ieeexplore.ieee.org/iel5/79/34166/01628884.pdf?](http://ieeexplore.ieee.org/iel5/79/34166/01628884.pdf?isnumber=34166&arnumber=1628884)[isnumber=34166&arnumber=1628884](#) - [Similar pages](#)[[More results from ieeexplore.ieee.org](#)][\[PDF\] M-mode echocardiography image and video segmentation based on AM ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)**approximation** to compute the coefficients of an M order. FIR Hilbert transformer as:... I. AM-FM **demodulation** for obtaining regions of interest ...www.ivpcl.org/2003_1176.pdf - [Similar pages](#)[\[PPT\] Time Division Frames](#)File Format: Microsoft Powerpoint - [View as HTML](#)FH Modulator. s(t). Channel. Nonlinear. Demod. FH **Demodulator**. VCO. FM. Mod.VCO. FM. Demod. Sci(t). Spectral Properties. Di(f-fc) ... A rougher **approximation**.wsl.stanford.edu/~ee392f/lecture5.ppt - [Similar pages](#)[\[PDF\] Multidimensional quasi-eigenfunction approximations and ...](#)

File Format: PDF/Adobe Acrobat

... (LSI) systems to D AM-FM. inputs and develop tight bounds on the **approximation**errors. ... AM-FM **demodulation** was applied to human speech or natural ...dx.doi.org/10.1109/83.821736 - [Similar pages](#)[\[PDF\] LM565/LM565C Phase Locked Loop](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)n FSK **demodulation**. n FM **demodulation**. n Frequency synthesizer. n Tonedecoding. n Frequency multiplication and **division**. n SCA demodulators ...www.ee.washington.edu/stores/DataSheets/linear/lm565.pdf - [Similar pages](#)[Subcarrier communication system - Patent 5442646](#)The modulated subcarrier is recovered from the **FM demodulator** (84) of the ... signal source having a frequency **approximating** that of the subcarrier, ...www.freepatentsonline.com/5442646.html - 64k - [Cached](#) - [Similar pages](#)[\[PDF\] A 400-mhz processor for the conversion of rectangular to polar ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)**approximation** term does not meet the accuracy requirements of the fine stage. ...[5] N. Boutin, "An arctangent type wideband PM/FM **demodulator** with im- ...www.ee.ucla.edu/faculty/papers/anw_jssc_oct03.pdf - [Similar pages](#)

◀ Goooooooooooooogle ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



Web Images Groups News Froogle Maps more »

fm demodulation approximating division

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 50,000 for fm demodulation approximating division. (0.45 seconds)**FM Demodulation Woes**

Re: FM Demodulation Woes - Paul Solomon - 04:11 21-10-05 ... concise reference that says to approximate differentiation do this. ...

www.dsprelated.com/showmessage/44513/1.php - 66k - [Cached](#) - [Similar pages](#)**EP1211859 Texas european software patent - Fixed-point dsp ...**Software Patent: Fixed-point dsp implementation of fm demodulation and decoding ... to perform division using a look-up table with an approximation and ...
gauss.fhii.org/PatentView/EP1211859 - 54k - [Cached](#) - [Similar pages](#)**System and method for approximating division patent invention**

[0002] The present invention is related to a system and method for approximating division, more particularly in an FM demodulator. [0003] 2. Background Art ...

www.freshpatents.com/System-and-method-for-approximating-division-dt20050203ptan20050027771.php - 23k - [Cached](#) - [Similar pages](#)**[PDF] FM DEMODULATION USING A DIGITAL RADIO AND DIGITAL SIGNAL ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

sample: Five real multiplies, five real additions, and one division. 5.3.1 DSP

Computational Overhead. The FM demodulator was directly implemented into ...
digitalsignallabs.com/Digradio.pdf - [Similar pages](#)**Single-Slot SDR Solutions | High-speed ADC combines with FPGA to ...**

This is the heart of the FM demodulation function implemented in FPGA as shown in ... However, at this reduced sampling rate, the approximation of the ...

rfdesign.com/software_radio/data_converters/radio_highspeed_adc_combines/ - 55k - [Cached](#) - [Similar pages](#)**[PDF] High-speed ADC combines with FPGA to enable single-slot SDR solutions**File Format: PDF/Adobe Acrobat - [View as HTML](#)to four IF signals and digitally tune up to 16 frequency-division mul- ... the ICS-1580 module for FM demodulation (Figure 2). For ease of ...
rfdesign.com/mag/604RFDF4.pdf - [Similar pages](#)**Title page for ETD etd-5048131259631631**

quality and simplicity, whereas code division multiple access (CDMA) systems ... the limitations of the DSP based FM demodulation methods are identified. ...

scholar.lib.vt.edu/theses/available/etd-5048131259631631/ - 11k - [Cached](#) - [Similar pages](#)**ELE635: Undergraduate Program- Electrical and Computer Eng. Ryerson**

5. Frequency Modulation and Demodulation: To demonstrate the general properties of frequency-modulated (FM) signals. To investigate the use of PLL as an FM ...

www.ee.ryerson.ca/undergraduate/curriculum/ele635.html - 8k - [Cached](#) - [Similar pages](#)**[PPT] Time Division Frames**File Format: Microsoft Powerpoint - [View as HTML](#)

FH Modulator. s(t). Channel. Nonlinear. Demod. FH Demodulator. VCO. FM ... Pe Approximation. By concavity of Pe and Jensen's inequality: ...

wsl.stanford.edu/~ee360/lecture5.ppt - [Similar pages](#)**[PDF] A non-uniform sampling tangent type FM demodulation - Consumer ...**

File Format: PDF/Adobe Acrobat

Inevitably, the conventional demodulation of an FM. signal exists a small error because of the approximation in (6). The accuracy is related to the sampling ...

ieeexplore.ieee.org/iel5/30/29562/01341689.pdf?arnumber=1341689 - [Similar pages](#)Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

fm demodulation approximating divis

Search

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google